



---

# Topaz Industries

*Topaz Industries Inc.*

## Browse

### [Building Maintenance](#)

[Concrete Patching and Resurfacing](#)

#### **Flashbond**

50Lb bag Rapid hardening roadway,bridge repair material that is easy to place with minimal time down  
[\[Product Details...\]](#)

#### **FP-100**

Unit price All purpose underlayment for "skim coating" and flashpatching; easily feathered [\[Product Details...\]](#)

#### **FP-200**

Sold in units Liquid only 5gals Two component latex leveling material used for "heavy filling" areas to receive tile, carpet or wood flooring. [\[Product Details...\]](#)

#### **FP-300**

Sold in units Liquid only 5gals Two component, traffic bearing,concrete resurfacing & leveling unit [\[Product Details...\]](#)

#### **FP-400**

Sold in units(5gal liquid only) Cementitious,acrylic modified repair compound designed for surfaces where the repair is larger than 1/2" thickness [\[Product Details...\]](#)

#### **Hydrogard**

100 Lb bag Metallic waterproofing compound for elevator pits, crack, floor and other speciality applications. [\[Product Details...\]](#)

### **Hydropatch**

50Lb Fast setting filler and waterproofing cement for concrete pipes, tunnels, tanks, wells etc. [\[Product Details...\]](#)

### **Hydroplug-5Min**

Sold in 50Lb Pail Fast setting compound to stop running water through cracks Available in 55second, and 25minute set times [\[Product Details...\]](#)

### **Permacrete 10-22**

Sold in units Epoxy topping with high performance resin & aggregate system for maximum chemical & abrasion resistance [\[Product Details...\]](#)

### **Permacrete 10-33**

Sold in 1.5 gallon units-High strength liquid epoxy for use in filling hairline crack, also available in a gel formula for vertical applications. [\[Product Details...\]](#)

### **Permacrete 10-44**

Sold in units Moisture insensitive rapid hardening patching system. Areas ready for traffic in 15-30min. Sub freezing temperatures do not affect application and cure. [\[Product Details...\]](#)

### **Permacrete 51-55**

5 gals Ready to use economical acrylic admixture for use in leveling and resurfacing mixes. [\[Product Details...\]](#)

### **Permacrete 61-55**

5 gallons Concentrated acrylic polymer additive for leveling and resurfacing. Imparts exceptional bonding and self curing properties. 55gal [\[Product Details...\]](#)

### **SL-600**

Sold in 50lb bag Self-leveling resurfacing/patching compound [\[Product Details...\]](#)

## **VO-500**

Sold in units Vertical and overhead patching compound that is supplied with specially designed acrylic admixture to provide adhesive tensil properties [\[Product Details...\]](#)